

# PROFESSIONAL IOT SOLUTION PROVIDER

FOCUS VIDEO AS THE CORE








**3**Years  
Warranty

**France Tech**  
SMART HOME & SECURITY SYSTEM



## Products Catalogue For price at 30 days


### ✧ CCTV Camera

Product Show	Chief Characteristics	Type	Model No.	End User Price	Specification
	Plastic IR Dome Camera IR LED: 14μ x 18PCS IR Range: 20M Board Lens 2.8mm Size: 99W) x 81(H) x 80(D)mm Weight: 300g	<b>AHD (4MP)</b>	<b>K11</b>	<b>EGP 375</b>	1/2.9" CMOS Sensor, 1080P/960H, DWDR, 3D NR, UTC, With IR-CUT
	Plastic IR Dome Camera IR LED: 14μ x 18PCS IR Range: 20M Board Lens 2.8mm Size: 99W) x 81(H) x 80(D)mm Weight: 300g	<b>AHD/CVI/TVI/C VBS (4MP)</b>	<b>k11 osd</b>	<b>EGP425</b>	1/2.9" CMOS Sensor, 1080P/960H, DWDR, 3D NR, UTC, OSD, With IR-CUT
	Plastic IR Dome Camera IR LED: 14μ x 18PCS IR Range: 20M Board Lens 2.8mm Size: 99W) x 81(H) x 80(D)mm Weight: 300g	<b>AHD (4MP)</b>	<b>A529</b>	<b>EGP335</b>	1/2.9" CMOS Sensor, 1080P/960H, DWDR, 3D NR, UTC, With IR-CUT
	Plastic IR Dome Camera IR LED: 14μ x 18PCS IR Range: 20M Board Lens 2.8mm Size: 99W) x 81(H) x 80(D)mm Weight: 300g	<b>AHD (2MP)</b>	<b>A539</b>	<b>EGP 275</b>	1/2.9" CMOS Sensor, 1080P/960H, DWDR, 3D NR, UTC, With IR-CUT
	IR LED: 14μ x 20PCS IR Range: 25M Board Lens 3.6mm Water Resistance: IP66 Anti-Cut 3-Axis Bracket Size: 157(W) x 70(H) x 66(D)mm Weight: 650g	<b>AHD (4MP)</b>	<b>A503</b>	<b>EGP 350</b>	1/2.9" CMOS Sensor, 1080P/960H, DWDR, 3D NR, UTC, With IR-CUT
	IR LED: 14μ x 20PCS IR Range: 25M Board Lens 3.6mm Water Resistance: IP66 Anti-Cut 3-Axis Bracket Size: 157(W) x 70(H) x 66(D)mm Weight: 650g	<b>AHD (4MP)</b>	<b>360 OUT</b>	<b>EGP750</b>	1/2.9" CMOS Sensor, 1080P/960H, DWDR, 3D NR, UTC, With IR-CUT
	IR LED: 14μ x 20PCS IR Range: 25M Board Lens 3.6mm Water Resistance: IP66 Anti-Cut 3-Axis Bracket Size: 157(W) x 70(H) x 66(D)mm Weight: 650g	<b>AHD (4MP)</b>	<b>T604</b>	<b>EGP 460</b>	1/2.9" CMOS Sensor, 1080P/960H, DWDR, 3D NR, UTC, With IR-CUT
	IR LED: 14μ x 20PCS IR Range: 25M Board Lens 12mm Water Resistance: IP66 Anti-Cut 3-Axis Bracket Size: 157(W) x 70(H) x 66(D)mm Weight: 650g	<b>AHD (4MP)</b>	<b>304</b>	<b>EGP 750</b>	1/2.9" CMOS Sensor, 1080P/960H, DWDR, 3D NR, UTC, With IR-CUT

	Plastic Weatherproof IR Camera IR LED: 14μ x 18PCS IR Range: 20M Board Len 3.6mm Water Resistance: IP66 Anti-Cut 3-Axis Bracket Size: 160.8(W) x 62(H) x 62(D)mm Weight: 380g	<b>AHD (2MP)</b>	<b>A172</b>	<b>EGP 275</b>	1/2.9" CMOS Sensor, 1080P/960H, DWDR, 3D NR, UTC, With IR-CUT
	Plastic IR Dome Camera IR LED: 14μ x 18PCS IR Range: 20M Board Lens 3.6mm Size: 99(W) x 81(H) x 80(D)mm Weight: 300g	<b>AHD/CVI/TVI/C VBS (8MP)</b>	<b>K12</b>	<b>EGP 750</b>	1/2.5" CMOS sensor, 5M, DWDR, DNR, UTC, OSD, With IR-CUT <b>AHD/TVI:</b> 5M@20fps/12.5fps, 4M@30fps/15fps, 2M@30fps; <b>CVI:</b> 4M@30fps, 2M@30fps
	Plastic Weatherproof IR Camera IR LED: 14μ x 18PCS IR Range: 20M Board Len 3.6mm Water Resistance: IP66 Anti-Cut 3-Axis Bracket Size: 160.8(W) x 62(H) x 62(D)mm Weight: 380g	<b>AHD (4MP)</b>	<b>704</b>	<b>EGP 295</b>	1/2.9" CMOS Sensor, 1080P/960H, DWDR, 3D NR, UTC, With IR-CUT
	IR LED: 14μ x 20PCS IR Range: 25M Board Lens 3.6mm Water Resistance: IP66 Anti-Cut 3-Axis Bracket Size: 157(W) x 70(H) x 66(D)mm Weight: 650g	<b>AHD (4MP)</b>	<b>T703</b>	<b>EGP 420</b>	1/2.9" CMOS Sensor, 1080P/960H, DWDR, 3D NR, UTC, With IR-CUT
	IR LED: 14μ x 20PCS IR Range: 25M Board Lens 3.6mm Water Resistance: IP66 Anti-Cut 3-Axis Bracket Size: 157(W) x 70(H) x 66(D)mm Weight: 650g	<b>AHD/CVI/TVI/C VBS (4MP)</b>	<b>T704</b>	<b>EGP 455</b>	1/2.9" CMOS Sensor, 1080P/960H, DWDR, 3D NR, UTC, OSD, With IR-CUT
	IR LED: 14μ x 20PCS IR Range: 25M Board Lens 3.6mm Water Resistance: IP66 Anti-Cut 3-Axis Bracket Size: 157(W) x 70(H) x 66(D)mm Weight: 650g	<b>AHD/CVI/TVI/C VBS (8MP)</b>	<b>T707</b>	<b>EGP845</b>	1/2.5" CMOS sensor, 5M, DWDR, DNR, UTC, OSD, With IR-CUT <b>AHD/TVI:</b> 5M@20fps/12.5fps, 4M@30fps/15fps, 2M@30fps; <b>CVI:</b> 4M@30fps, 2M@30fps
	★5" Medium Mini Dome Camera ★3IN1: AHD/HD-TVI/CVBS ★Weatherproof Outdoor IP66 ★∅ 42x6PCS IR LEDS, IR Range: 60m ★Pan Range: 0°~360° Continue; Tilt Range: 0°~93° Flip ★Pan Speed: 45°/sec; Tilt Speed: 30°/sec ★Preset Points: 220 ★Guard Tours: 3 Groups ★Guard Points: Max.16 points ★RS485, Pelco D/P Support ★OSD Menu Available ★Lightning Protection: Transient Voltage 6000V ★Size of Package (LxWxH): 29.5x28x17(cm) ★Weight: 4.2Kgs	<b>AHD/HD-TVI/CVBS (4MP)</b>	<b>18X</b>	<b>EGP 4050</b>	1/2.9" SONY CMOS Sensor 2.1MP/1080P Low Illumination, ICR, DNR <b>18X Optical Zoom (f=5.35mm-96.3mm)</b>

## ✦ WIFI Camera

Product Show	Chief Characteristics	Type	Model No.	End User Price	Specification
	lamp camera with 360 lens 1080p night Vision memory card	<b>4MP</b>	<b>LAMP 360</b>	<b>EGP 1250</b>	lamp camera with 360 lens 1080p night Vision memory card
	◆ Plug&Play ◆ 12 Inch Monitor ◆ Hexaplex Operation Simultaneously: Preview, Recording, Playback, Live, Backup ◆ Static, Dynamic IP and DDNS, P2P, Wi-Fi, Support IE and Special Client Software	<b>4MP WIFI KITS</b>	<b>wifi screen</b>	<b>EGP7500</b>	◆ Camera Input: 4CH 1080P@15fps WIFI IP Camera (Max. 4CH Input) ◆ IP Camera :Hisilicon, Outdoor Metal Bullet Case, 25m Night Vision, Support WIFI & ONVIF ◆ Vidieo Output: 1xHD Output/ 1xVGA Output ◆ Compression Method: H.265/H.265+, H.264/H.264+ ◆ Recording Resolution: 2560*1440 ◆ WIFI Range: No Obstacles 300m Max.




	lamp camera with 360 lens 1080p night Vision memory card	4 MP	v380s	EGP 1200	lamp camera with 360 lens 1080p night Vision memory card
---	--	------	-------	----------	--

**※6 IN 1 XVR**


Product Show	Chief Characteristics	Type	Model No.	End User Price	Specification
	<p>DIY Video Input:            HD: Max 4CH@25fps / IPC: Max 9CH@30fps /            Analog: Max 4CH@30fps            HD includes AHD, HD-CVI, HD-TVI            Video Output: 1xHD Output /1xVGA            Audio Input/Output: RCA 4CH In/ 1CH Out            Compression Method: H.264</p>	4ch 1080P	XVRA2004D	EGP 790	AHD/CVI/TVI/IP/Analog 4CH, Network, P2P HD Output, VGA, USB, Audio, RS485 1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 6TB)
	<p>DIY Video Input:            HD: Max 8CH@15fps / IPC: Max 16CH@30fps /            Analog: Max 8CH@30fps            HD includes AHD, HD-CVI, HD-TVI            Video Output: 1xHD Output /1xVGA            Audio Input/Output: RCA 4CH In/ 1CH Out            Compression Method:            H.265+/H.265/H.264+/H.264</p>	8ch 1080P	XVRDA2008D	EGP1250	AHD/CVI/TVI/IP/Analog 8CH, Network, P2P HD Output, VGA, USB, Audio, RS485 1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 6TB)
	<p>DIY Video Input:            HD: Max 16CH@15fps / IPC: Max 16CH@30fps /            Analog: Max 16CH@30fps            HD includes AHD, HD-CVI, HD-TVI            Video Output: 1xHD Output /1xVGA            Audio Input/Output: RCA 2CH In/ 1CH Out            Compression Method:            H.265+/H.265/H.264+/H.264</p>	16ch 1080P	XVDA2116D	EGP 2500	AHD/CVI/TVI/IP/Analog 16CH, Network, P2P HD Output, VGA, USB, Audio, RS485 1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 6TB)
	<p>DIY Video Input:            HD: Max 32CH@15fps / IPC: Max 32CH@30fps /            Analog: Max 32CH@30fps            HD includes AHD, HD-CVI, HD-TVI            HD Output: 4K (3840x2160)/2K            (2560x1440)/1920x1080/1280x1024/1280x720/            1024x768            VGA Output: 1920x1080/1280x1024            CVBS Output: 720x560            Audio Input/Output: RCA 12CH In/ 1CH Out            Alarm Input/Output: Alarm 16CH In/ 4CH Out            Compression Method:            H.265+/H.265/H.264+/H.264</p>	32ch 1080P	XVRDA3132L	EGP 7050	AHD/CVI/TVI/IP/Analog 32CH, Network, P2P HD Output, VGA, USB, Audio, RS485 8 SATA Hard Disk Interface (3.5" SATA, Up to 64TB) + 1 E-SATA Interface (Up to 8TB)
	<p>DIY Video Input:            HD: Max 4CH@15fps / IPC: Max 16CH@30fps /            Analog: Max 4CH@30fps            HD includes AHD, HD-CVI, HD-TVI            Video Output: 1xHD Output (Max. 4K)/1xVGA            Audio Input/Output: RCA 4CH In/ 1CH Out            Compression Method: H.265+/H.265,            H.264+/H.264</p>	4ch 5MP	XVRDA2004HD	EGP 1425	AHD/CVI/TVI/IP/Analog 5M/3MP AHD/TVI 4M/2M AHD/CVI/TVI 4CH, Network, 1 x SATA, P2P HD Output, VGA, USB, Audio, RS485 1 SATA Hard Disk interface (2.5"/3.5" SATA, Up to 8TB)
	<p>DIY Video Input:            HD: Max 8CH@15fps / IPC: Max 16CH@30fps /            Analog: Max 8CH@30fps            HD includes AHD, HD-CVI, HD-TVI            Video Output: 1xHD Output (Max. 4K)/1xVGA            Audio Input/Output: RCA 4CH In/ 1CH Out            Compression Method:            H.265+/H.265/H.264+/H.264</p>	8ch 5MP	XVRDA2108HD	EGP 2000	AHD/CVI/TVI/IP/Analog 5M/3MP AHD/TVI 4M/2M AHD/CVI/TVI 8CH, Network, 1 x SATA, P2P HD Output, VGA, USB, Audio, RS485 1 SATA Hard Disk interface (2.5"/3.5" SATA, Up to 8TB)



	<p>DIY Video Input:  <b>HD: Max 16CH@15fps / IPC: Max 32CH@30fps / Analog: Max 16CH@30fps</b>            HD includes AHD, HD-CVI, HD-TVI            Video Output: 1xHD Output/1xVGA            Audio Input/Output: RCA 2CH In/ 1CH Out            Compression Method:            H.265+/H.265/H.264+/H.264</p>	<p><b>16ch 5MP</b></p>	<p><b>XVRDA21016HD</b></p>	<p><b>EGP 3500</b></p>	<p>AHD/CVI/TVI/IP/Analog            5M/3MP AHD/TVI            4M/2M AHD/CVI/TVI            8CH, Network, 1 x SATA, P2P            HD Output, VGA, USB, Audio, RS485            1 SATA Hard Disk interface (2.5"/3.5" SATA, Up to 8TB)</p>
	<p>DIY Video Input:  <b>HD: Max 4CH@15fps / IPC: Max 16CH@30fps / Analog: Max 8CH@30fps</b>            HD includes AHD, HD-CVI, HD-TVI            Video Output: 1xHD Output /1xVGA            Audio Input/Output: RCA 4CH In/ 1CH Out            Compression Method:            H.265+/H.265/H.264+/H.264</p>	<p><b>4 ch 1080p</b></p>	<p><b>FT 4XMeye</b></p>	<p><b>EGP 720</b></p>	<p>AHD/CVI/TVI/IP/Analog            4CH, Network, P2P            HD Output, VGA, USB, Audio, RS485            1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 6TB)</p>
	<p>DIY Video Input:  <b>HD: Max8CH@15fps / IPC: Max 16CH@30fps / Analog: Max 8CH@30fps</b>            HD includes AHD, HD-CVI, HD-TVI            Video Output: 1xHD Output /1xVGA            Audio Input/Output: RCA 4CH In/ 1CH Out            Compression Method:            H.265+/H.265/H.264+/H.264</p>	<p><b>8ch 1080P</b></p>	<p><b>FT 8 XMeye</b></p>	<p><b>EGP1160</b></p>	<p>AHD/CVI/TVI/IP/Analog            4CH, Network, P2P            HD Output, VGA, USB, Audio, RS485            1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 6TB)</p>
	<p>DIY Video Input:  <b>HD: Max 16CH@15fps / IPC: Max 32CH@30fps / Analog: Max 16CH@30fps</b>            HD includes AHD, HD-CVI, HD-TVI            Video Output: 1xHD Output/1xVGA            Audio Input/Output: RCA 2CH In/ 1CH Out            Compression Method:            H.265+/H.265/H.264+/H.264</p>	<p><b>16 ch 1080p</b></p>	<p><b>XFT 16XMeye</b></p>	<p><b>EGP2100</b></p>	<p>AHD/CVI/TVI/IP/Analog            4CH, Network, P2P            HD Output, VGA, USB, Audio, RS485            1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 6TB)</p>

**✦ Accessories**

Product Show	Chief Characteristics	Type	Model No.	End User Price	Specification
	<p>BNC CABLE</p>	<p>BNC</p>	<p>BNC 1</p>	<p><b>EGP 5</b></p>	<p>BNC CABLE</p>
	<p>DC POWER</p>	<p>DC POWER</p>	<p>Jak power</p>	<p><b>EGP 3</b></p>	<p>DC POWER</p>
	<p>BNC SOSTH</p>	<p>BNC SOSTH</p>	<p>BNC SOSTH</p>	<p><b>EGP 5</b></p>	<p>BNC SOSTH</p>

**✦ Cables**



Product Show	Chief Characteristics	Type	Dimensions	End User Price	Specification
	<p>COAXEL Cable + POWER RG 59</p>	<p>RG 59</p>	<p>300 M</p>	<p><b>EGP 1425</b></p>	<p>COAXEL Cable + POWER RG 59</p>
	<p>COAXEL Cable + POWER RG 59</p>	<p>RG 59</p>	<p>200 M</p>	<p><b>EGP 920</b></p>	<p>COAXEL Cable + POWER RG 59</p>
	<p>COAXEL Cable + POWER RG 59</p>	<p>RG 59</p>	<p>100 M</p>	<p><b>EGP 455</b></p>	<p>COAXEL Cable + POWER RG 59</p>

	COAXEL Cable + POWER RG 59	RG 59	50 M	EGP 250	COAXEL Cable + POWER RG 59
	NETWORK CABLE UTP CAT 6 E HIGH SPEED	CAT 6 E	305 M	EGP 750	NETWORK CABLE UTP CAT 6 E HIGH SPEED
	NETWORK CABLE UTP CAT 6 E HIGH SPEED	CAT 6 E	200 M	EGP 550	NETWORK CABLE UTP CAT 6 E HIGH SPEED
	NETWORK CABLE UTP CAT 6 E HIGH SPEED	CAT 6 E	100 M	EGP 315	NETWORK CABLE UTP CAT 6 E HIGH SPEED

## ✳️HDD

Products Show	Description			End User Price	Specifications
	HDD SATA WESTRN & SEGAT	500GB	WESTRN	EGP 455	500GB 5900/64M/SATA 6Gb/s
	HDD SATA WESTRN & SEGAT	1TB	WESTRN	EGP 920	1TB 5900/64M/SATA 6Gb/s
	HDD SATA WESTRN & SEGAT	2TB	WESTRN	EGP 1250	2TB 5900/64M/SATA 6Gb/s
	HDD SATA WESTRN & SEGAT	4TB	WESTRN PRPULE	EGP 3200	4TB 5900/ 64M/SATA 6Gb/s

## ✳️POWRE

Products Show	Type	End User Price	Specification
	POWRE 30A	EGP 250	Enclosed Power Supply 12V 30A PTC function is optional
	POWRE 20A	EGP225	Enclosed Power Supply 12V 20A PTC function is optional
	POWRE10A	EGP 120	Enclosed Power Supply 12V 10A PTC function is optional
	POWRE5A	EGP 100	Input Voltage: AC 110–240V Output Voltage: DC 12V Output Current: 1000mA
	ADPTER 5 A	EGP 100	

## Terms & Conditions

**Warranty: 3Years**

**MOQ: 10pcs/model after sample order**

**Attention:** The unit price fluctuates according to the change of parameters and market. And the price above does not include the delivery charges or other expense.



**Tel: +2 01017219011 - +201094328204**

**E-mail: [info@francetech-eg.com](mailto:info@francetech-eg.com)**

**Website: [Francetech-eg.com](http://Francetech-eg.com)**

**Facebook: [France.tech.egypt](https://www.facebook.com/France.tech.egypt)**

**ADD: 165 EL TAHRIR STREET BAB EL LOUK CAIRO EGYPT**

